TREE, SHRUB AND GROUND COVER LISTS FOR QUALITY POINTS

LARGE CANOPY TREES FOR TREE QUALITY POINTS (Trees with a mature height of greater than 40', with a minimum of 30' canopy)

• R/O denotes trees which receive retention points only

Minimum planting space for large trees is 400 square feet: 16' x 25' or 20' x

20'

Botanical Name	Drought-	Planting Points	Retention Factor	Notes
Common Name	Tolerance			22.44
Acer	X	90	1.5	Yellow fall color;
Floridanum (Acer				native; good for
barbatum) Florida				parking area; maple
Acer rubrum	X, M	90	1.5	Cvs. "Summer
Red Maple				Red," "Red
		7.10	1.5	Sunset"; Native
Cayra aquatica	M	R/O	1.5	Large tap root;
Water Hickory				native
Carya cordiformis	X	R/O	1.5	Large tap root;
Bitternut Hickory				native
Carya glabra pignut	X	R/O	1.5	Large tap root;
Hickory				native
Carya illinoensis	X	40	.50	Edible nuts; weak
Pecan				wooded; native
Carya pallida	X	R/O	1.5	Large tap root;
Sand Hickory				native
Cayra tomentosa	X	R/O	1.5	Large tap root;
Mockernut Hickory				native
Carya	X	R/O	1.5	Large tap root;
myristicaeformis				native
Nutmeg Hickory				
Cedrus atlantica		40	.50	Blue evergreen;
"Glauca"				central leader dies
Blue Atlas Cedar				back
Cedrus deodara	X	40	.50	Evergreen
Deodar Cedar				
Celtis laevigata	X	R/O	1.5	Small leaves; gray
				bark; tiny fruit
Cryptomeria	X	40	.50	Evergreen; hardy,
japonica				stately tree
Japanese Cedar				
Cunninghamia	M	40	.50	Blue-gray
lanceolata				evergreen
China Fir				
X Cupressorcyparis	X	15	.50	Susceptible to

leylandii				cankers
Leyland Cypress				
Cupressus		15	.50	Columnar tree;
sempervirens				evergreen; slow-
Italian Cypress				growing
Fagus grandifolia		90	1.5	Gray bark; plant
American Beech				smaller tree
Fraxinum	M	90	1.5	cv. "Marshall's
pennsylvania				Seedless"
Green Ash	***	0.0	1.7	D 11 12 1 1 1
Ginkgo biloba	X	90	1.5	Pollution tolerant;
Maidenhair tree				yellow fall leaves;
				plant male trees; avoid smelly fruit
Gledtisia triacanthos		R/O	.50	Breaks up with age
Honey Locust		K/O	.50	breaks up with age
Juglans nigra		R/O	.50	Edible nuts; weak
Black Walnut		IV.O	.50	wooded tree
Juniperus viginiana	С	90	1.5	Evergreen; long-
Red Cedar	C	70	1.5	lived; salt tolerant
Liquidambar	X	15	.50	Weak wooded
styraciflua				when old; messy
Sweetgum				fruit
Liriodendron	X, M	90	1.5	Showy green-
tulipifera	,			orange flowers;
Tulip or Yellow				sensitive roots
Poplar				
Magnolia grandiflora	X	90	1.5	Evergreen; white
Southern Magnolia				fragrant flowers;
				cvs. "Braken's
				Brown Beauty";
				"Claudia
				Wanamaker";
				"D.D. Blanchard"
Metasequoia	X	40	.75	Medium growing;
glyptostoboides				late introduction
Dawn Redwood				
Morus rubra	X	R/O	.50	Messy fruit; weak
Red Mulberry				wood, historical
XX .		70.00		significance
Nyssa aquatica	M	R/O	1.5	Moist soils;
Water Tupelo) / (00	1.5	riverbanks
Nyssa sylcatica	M	90	1.5	Good fall color
Black Tupelo or				
Black Gum Pinus echinata		15	.50	Evergreen
Shortleaf Pine		15	.50	Evergreen
Pinus elliottii	X	15	.75	Evergreen; stately
Slash Pine	Λ	13	.13	tree
Pinus glabra		40	1.00	Nice form/foliage;
Spruce Pine		70	1.00	evergreen
Pinus palustris	X	15	1.00	Fire-resistant;
Timo parasaris	71	15	1.00	evergreen
Pinus serotina	M	R/O	1.00	Evergreen; native
Pond Pine	171	10,0	1.00	2.01510011, 1141110
Pinus taeda	X	15	.50	Evergreen
Loblolly Pine	21		.50	Z.orgroom
Plantanus x		90	1.5	Large tree; coarse
		, , ,	1.0	

acerifolia				texture
London Planetree				texture
Plantanus	M	90	1.5	Exfoliating bark;
occidentalis	141	70	1.5	deciduous
American Sycamore				decidaous
Populus alba	M	90	1.5	Fuzzy seeds;
White Poplar	141	70	1.5	deciduous; native
Prunus serotina		R/O	.50	Dark bark; wildlife
Black Cherry		IV/O	.50	planting;
Black Cheffy				deciduous; native
				deciduous, native
Quercus acutissima	X	90	.75	Medium sized tree;
Sawtooth Oak	Λ	70	.13	excellent
Quercus alba		90	1.5	Deciduous;
White Oak		90	1.3	sensitive roots
	X	00	1.5	ı
Quercus falcata	Χ	90	1.5	Deciduous;
Southern Red Oak	***	00	1.5	sensitive roots
Quercus laurifolia	X	90	1.5	Semi-evergreen
Laurel Oak				
Quercus lyrata	M	90	1.5	Native
Overcup Oak				
Quercus macrocarpa	X	90	1.5	Deeply furrowed
Bur Oak				bark in older
				specimens
Quercus michauxii	M	90	1.5	Platy, gray bark;
Swamp Chestnut				orange fall color;
Oak				distinctive tree
Quercus nigra	M	R/O	.50	Weak wooded Oak;
Water Oak	1,1	100		native
Quercus phellos	X	90	.75	Deciduous
Willow Oak			.,,	
Quercus Shumardii	X	90	1.5	Deciduous; large
Shumard's Red Oak				spreading
Quercus stellata	X	R/O	1.5	Large spreading
Post Oak	11	100	1.5	Large spreading
Quercus velutina	X	R/O	1.5	Large spreading;
Black Oak	11	100	1.5	blackish colored
Bluck Ouk				bark
Quercus virginiana	X	90	1.5	State tree; most
Live Oak	Λ	70	1.5	majestic of
Live Oak				southern oaks;
				evergreen
T4:	M	00	1 5	
Taxodium ascenduns	M	90	1.5	Grow in moist
Pond Cypress				conditions; use
				plants which are
				acclimated to the
				specific site soil
				condition
Taxodium distichum	M	90	1.5	Adaptable to
Bald Cypress				conditions; better
				foliage than T.
				ascendens; use
				plants which are
				acclimated to
				specific site soils
Ulmus Americana		90	.75	Susceptible to
American Elm				Dutch Elm Disease

				(except cv "Princeton")
Ulmus parvifolia Lacebark Chinese Elm		90	.75	Cvs: "Athena", "Drake", exfoliating bark; good for smaller areas
Ulmus rubra Slippery Elm		R/O	.75	Bark used medicinally
Zelkova serrata Japanese Zelkova	X	40	.75	Cvs: "Village Green"; "Greenspire"; good for smaller areas

MEDIUM CANOPY TREES FOR TREE QUALITY POINTS (Trees with a mature height between 25' - 40')

* R/O denotes trees which receive retention points only

Minimum planting space for medium trees is 225 square feet: 15' x 15' or 9' Radius

Botanical Name	Drought-	Planting Points	Retention Factor	Notes
Common Name	Tolerance			
Acer Buergerianum	X	15	.75	
Trident Maple				
Amelanchier		R/O	1.5	White flowers in
arborea				early spring
Downy Serviceberry				
Amelanchier		R/O	1.5	White flowers in
Canadensis				early spring
Shadblow				
Serviceberry				
Betula nigra	M	30	.50	Prefer moisture;
River Birch				good cultivars:
				"Heritage"
Carpinus caroliniana	X	30	1.5	Blue, muscled
American				wood
Hornbeam				
Castanea pumila		R/O	.75	Wind pollinated
Chinquapin				1
1 1				
Catalpa	X	R/O	.50	White flowers in
bignonioides				May; coarse
Common Catalpa				leaves; long pods
Fraxinus caroliniana	X	R/O	.75	Native
Carolina Ash				
Fraxinus profunda	M	R/O	.75	Native
Pumpkin Ash	1,1			1,441,4
Gleditsia aquatica	M	R/O	.75	Native
Water Locust				
Gordonia lasianthus	M	30	1.5	White flowers in
Loblolly Bay				late summer;
,,				moist, acid soil;
				evergreen
Halesia Carolina	X	30	1.5	Good dogwood
Carolina Silverbell				substitute; white
				bell like flowers
Ilex opaca	X	30	1.5	Evergreen; female
American Holly	12			produces berries;
				needs male
				pollinator
Juniperus salicicola		30	1.5	Evergreen
Southern Red Cedar			1.5	
Koelreuteria	X	15	1.5	Red fall color;
bipinnata	1	15	1.5	golden flowers
Bourgainvilla				Solden Howels
Goldenraintree				
Magnolia virginiana	X	30	1.5	White flowers in
Sweet Bay	A	30	1.5	summer
Magnolia Magnolia				Summer
Nyssa ogeche	M	30	1.5	Moist soil; native;

Ogeechee Lime				river banks of Ogeechee
Ostrya virginiana Eastern Hophornbeam		30	1.5	Native
Oxydendrum arboretum Sourwood	Х	30	1.5	Crimson red leaves in fall; acidic soil; white panicled flowers in summer
Parrotia persica Persian Parrotia	X	30	1.5	Good fall color; hardy street tree
Pistacia chinensis Chinese Pistachio	X	30	1.5	Good fall color; hardy street tree; strong wooded, no nuts
Populus deltiodes Eastern Cottonwood	X, M	R/O	.75	Native
Populus heterophylla Swamp Cottonwood	X, M	R/O	.75	Native evergreen; reseeds readily
Prunus caroliniana Carolina Cherry Laurel	X	15.	.75	May become invasive
Prunus yedoensis Yoshino Cherry		30	.75	White flowing plant; tidal basin; Washington DC
Quercus myrsinifolia Chinese Evergreen Oak	X	30	1.5	Evergreen
Robinia pseudoacacia Black Locust		30	.50	Fragrant flowers
Salix babyloncia Weeping Willow	M	15	.50	Short lived; weeping habit
Salix nigra Black Willow	M	R/O	.50	Native
Sassafras albidum Sassafras	X	15	1.5	Native

SMALL CANOPY TREES FOR LANDSCAPE QUALITY POINTS (Trees with a mature height up to 25')

* R/O denotes trees which receive retention points only Minimum planting space for small trees varies between 25 - 100 square feet (depending on species)

Botanical Name Common Name	Drought- Tolerance	Planting Points	Retention Factor	Notes
Acer palmatum Japanese Maple	Tolerance	5.75		Plant in high shade; red fall color
Celtis Georgiana Georgia Hackberry	X, M	R/O	.50	Moist areas
Cercis Canadensis White Hybrid Eastern Redbud	Х	10	1.5	"Texensis" and "Alba"; "Forest pansy"; has burgundy leaves
Cercis chinesnsis Chinese Redbud	X	10	1.5	Pink flowers; sometimes available
Cercis reniformis Oklahoma Redbud	X	10	1.5	Wine red flowers; "Oklahoma"; glossy leaves
Chionanthus retusus Chinese Fringetree	X, M	10	1.5	White, fringed flowers; good ornamental tree
Chionanthus virginicus Fringetree	X, M	10	1.5	White, fringed flowers, good ornamental tree
Cornus florida Flowering Dogwood		10	1.5	White bracts of flowers; red berries; semi-shade
Cornus kousa Kuosa Dogwood		10	1.5	White bracts of flowers; red berries; semi-shade
Elliottia racemosa Elliottia Southern Plume	X	R/O	1.5	Endangered species; moist sandy areas
Eriobotrya japonica Loquat	X	5	.75	Evergreen; edible fruit; may be messy; fire blight susceptible
Forestiera acuminanta Swamp Privet	M	R/O	1.5	Rare native tree; black fruits
Franklinia alatamaha Franklinia		10	1.5	No longer found in the wild; evergreen; white flowers
Ilex x attenuata East Palatka Holly	X	10	1.5	Evergreen foliage; provide male and female plants for berries
x attenuate "Fosteri" Foster Holly	X	10	1.5	Good for narrow spaces; same comments as above

**	**	1.0		
Ilex x attenuate Savannah Holly	X	10	1.5	Same as for East Palatka
Ilex cassine Dahoon Holly		5	1.5	Transparent red fruits on female plants; deciduous
Ilex decidua Possumhaw	X	5	.75	Orange fruits on female plants; deciduous
Ilex latifolia Lusterleaf Holly	X	10	.75	Glossy green leaves; evergreen
Ilex myrtifolia Myrtleleaf Holly		5	.75	Same as above
Ilex x "Nellie R. Stevens" Nellie R Stevens Holly		10	.75	One male needed with females for fruit
Ilex vomitoria Yaupon Holly	X	10	1.5	Evergreen; red fruits on female plants
Ilex vomitoria Weeping Yaupon Holly	X	10	1.5	"Pendula" Same as above
Juniperus chinensis Hollywood Juniper	X	5	.75	"Torulosa" Interesting form
Juniperus virginiana Red Cedar	X	10	1.5	"Burkii" evergreen; vertical accent
Lagerstroemia indica "Cherokee"	X	10	.50	"Muskogee", "Natchez", "Tuscarora", etc. Same as above, but hybridized, disease resistant; Indian names
Ligustrum lucidum Glossy Privet	X	10	.50	Tree form; glossy evergreen leaves; blue black berries
Magnolia x soulangeana Saucer Magnolia	X	10	1.5	Pink purple flowers; often burned by frost; deciduous
Magnolia stellata Star Magnolia	X	5	.75	White, starlike flowers; often burned by frost; deciduous
Morus alba White Mulberry	X	R/O	.50	Messy fruit; weak wooded tree; historic interest
Myrica cerifera Wax Myrtle	X	10	1.5	Evergreen aromatic leaves
Osmanthus americanus Devil Wood	X	10	1.5	Evergreen
Osmanthus x fortunei Fortune's Tea Olive		10	1.5	Fragrant small flowers in fall; no pests; border or as screen
Osmanthus gragrans Fragrant Tea Olive		10	.50	Fragrant flowers Oct. to Jan.; no

				pests; fragrant specimen
Osmanthus heterophyllus Hollyleaf Osmanthus		10	.75	Dark green foliage; spiny holly like leaves; fall fragrant blooms
Planera aquatica Planertree	M	R/O	.75	Native
Podocarpus macrophyllus "Maki" Southern Yew		10	1.5	Evergreen; dark color
Prunus angustifolia Chickasaw Plum	X	R/O	.50	Native
Prunus campanulata Taiwan Cherry		10	.75	Dark pink flowers in Feb.
Prunus cerasifera "Atropurpurea" X Purple leaf Plum	X	10	.75	Purple leaves; while pink flowers
Prunus ceraifera "Newport" Cherry Plum	X	10	.75	
Prunus mume Flowering Apricot		10	.75	Light pink flowers in JanFeb.
Prunus persica Flowering Peach		10	.50	
Prunus serrulata Japanese Flowering Cherry		10	.75	Many good cultivars; "Kwanzan"; "Okame"; early spring blooming
Prunus umbellate Hog Plum		R/O	.50	Native
Vaccinium arboretum Sparkleberry		10	1.5	Small blueberries; white flowers; good ornamental
Vitex agnus-castus Lilac Chastetree	X	10	.50	White to lilac flowers in summer; aromatic, deciduous leaves

PALM-TYPE and CYCAD TREE AND SHRUB LIST

(Note: All palm LQP are based on height, not DBH)

Botanical Name	Drought-	Planting Points	Minimum Space	Notes
Common Name	Tolerance			
Butia captitata	X	2 points/foot of	8' x 8'	Treeform
Jelly or Pindo Palm		height		
Chamaerops humilis	X	2 points/foot of	8' x 8'	Tree form
European Fan Palm		height		
Cycas revolute	X	2 points/foot of	4' x 4'	Shrublike/small tree
Sago Cycas		height		
Phoenix canariensis	X	2 points/foot of	8' x 8'	Treeform
Canary Date Palm		height		
Rapidophyllum	M	2 points/foot of	8' x 8'	Shrubform; small
histrix		height		tree
Needle Palm				
Sabal etonia		3.0 new/1.5		Shrublike; native
Scrub Palmetto		retained		
Sabal minor	M	3.0 new/1.5		Shrublike; native
Dwarf Palmetto		retained		
Sabal palmetto	X	2 points/foot of	8' x 8'	Treeform; native
Cabbage		height		
Palmetto Serenoa	X			Shrublike; native
repens				
Saw Palmetto				
Trachycarpus	X	2 points/foot of	8' x 8'	Treeform
fortunei		height		
Fortune's Windmill				
Palm				
Washintonia robusta	X	2 points/foot of	8' x 8'	Treeform
Washington Palm		height		

LARGE EVERGREEN SHRUB SPECIES LIST

Shrubs 8-12 feet in height - All shrubs in this list are 5.0 point each

Botanical Name	Sun	Soil	Drought	Comments
Common Name		2011	Tolerant	
Anise (See Illicium) Azalea sp. Southern Indica Azaleas; Duc de Roham duchess of Cyprus Fielder's White Formosa George L. Tabor Mrs. GG Gerbing Iveryana Judge Soloman Lawrence A. Walker; President Clay Pride of Mobile Pride of Summerville Red Formosa Salmon Soloman Southern Charm	PS	WD		Shade in summer and in afternoon; acid soil; orange red; salmon-blush with reddish blotch white with chartreuse blotch; magenta orchid with magenta orchid with magenta blotch; white; white with red flecks; watermelon pink; salmon; cherry red with magenta blotch; watermelon red; salmon; deep magenta; salmon pink; watermelon
				pink; watermelon
Bambusa Multiplex Fernleaf Bamboo	S/Sh	WD		Good for screens; contained clump; fast growing; pest free
Banana Shrub (See Michelia)				
Callistemon lanceolatus Bottlebrush	S	WD	X	Red bloom spike in spring; thorny; pest free; Use as background hedge or screen
Camellia japonica Camellia	PSh	M, WD	X	No wet feet; blooms in fall-winter; tea scale; rich, humousy acid soil
Camellia sasnqua Camellia	PSh	M, WD	X	Same as above
Ceratiola ericoides Rosemary	S	Sandy	X	Native shrub with lavender flowers in early spring; well- drained sandy soil
Cleyera japonica Cleyera	PS/Sh	WD	X	Upright; dark green leaves; pest free
Elaegnus pungens Elaegnus	S/Sh	Tol.	X	Rampant grower, needs lots of room; silvery leaves; natural hedge or border; wildlife planting; no pest
Fatsia japonica	Sh	WD	X	Coarse texture; white flowers in fall; blue berries in winter;

				tropical accent; dark
Feijoa sellowiana Pineapple Guava	S	WD	X	green foliage White flower in spring; edible fruit; pest free; good shrub massing or screen
Fortunella japonica Kumquat	S	WD	X	Creamy fragrant flowers; edible fruit
Ilex cornuta Chinese Holly	S/PSh	WD	X	Red or yellow fruit in fall; dark green leaves; scale a problem; specimen or foundation planting
Ilex cornuta "Burfordii" Burford Holly	S/PSh	WD	X	Orange-red berries; rapid dense foliage; scale; specimen or foundation planting
Illicium anisaum Japanese Anise Tree	S/PSh	WD	X	Coarse, aromatic leaves; pest-free; aromatic; specimen or foundation planting
Illicium floridanum Florida Anise Tree	S/PSh	M-WD	X	Moist to wet soil; deep red flowers in spring; ornamental specimen
Illicium parviflorum Star Anise	S/PSh	M	X	Yellow green flowers in June; aromatic leaves; interesting fruit; screen or hedge planting
Leucothoe popilifolia Florida Leucothoe	Sh/PSh	M	X	White pink flowers on old wood; irregular growth
Ligustrum japonicum Japanese Privet	S/PSh	WD	X	Coarse texture; white flowers in spring; fast growth; "Recurvifolium" and variegated form good as screen
Ligustrum japonicum "Rotundifolium" Curlyleaf Ligustrum	S/PSh	WD	X	Dark green foliage; columnar plant; twisted; slow growing, easily pruned into tight spaces
Ligustrum lucidum Waxleaf Privet	S/Sh	WD	X	Coarse textured; useful as screen or hedge; may be pruned into small tree; white flowers, blue fruits
Loropetalim chinense Evergreen	S/PSh	WD	X	Feathery white or pink flowers in spring; irregular

Loropotolim	1	T		form: no posts:
Loropetalim				form; no pests; screen, shrub
				massing use
Lyonia ferruginea	S/PSh	M		Native; leathery
Fetterbush	5/1 511	111		leaves; pink flowers
				in spring
Lyonia lugustrina	S/PSh	WD		Same as above
Fetterbush				
Michelia figo	S/PSh	WD		Banana scented
Banana Shrub				cream flowers in
				April; fragrant accent
				or shrub boarder
Myrtus communis	S	WD	X	White flowers in
True Myrtle				spring; aromatic
				berries on females;
				fine textured
				specimen; hard to
				establish
Nerium oleander	S	WD	X	Red, pink yellow or
Common Oleander				white flowers in
				summer; toxic;
				specimen; shrub
				border, hedge or
				screen use
Photinia x "fraseri"	S	WD	X	New leaves red;
Fraser Photinia				upright growth for
				screen, hedge or tree
				form; problems with
D1 1.1	a	MID	***	disease
Photinia glabra	S	WD	X	New leaves red;
Redtip Photinia				creamy white
				summer flowers;
				fruit in fall; use as
				hedge; do not plant
				near red brick;
Photinia serrulata	C	WD	V	disease
	S	WD	X	New leaves coppery
Chinese Photinia				red; flowers in
				spring; red summer fruit; use as
				specimen for large area
Pineapple Guave				arca
(See Feijoa)				
Pittosporum tobira	S/PSh	WD	X	Interesting branch
Pittosporum	S/1 SII	,,,,,	4.4	habit; variegated
				form; fragrant spring
				flowers; accent plant,
				shrub massing or
				hedge
Pyracantha koidzumi	S/PSh	WD	X	Bright red fall,
Formosa Firethorn				winter fruit;
				specimen, screen
				border; watch for
				scale; Cultivars;
				"San Jose"
				spreading; "Santa
				Cruz" in prostrate

Raphiolepis umbellate "Majestic Beauty" Indian Hawthorne	S/PSh	WD	X Tol.	form; "Low Dense" is mounding; "Victory" has showy dark red berries Fragrant pink or white flowers in spring; slow growing; salt tolerant; specimen;
Ternstroemia gymnanthera Cleyera	PSh	WD	Tol.	foundation planting White flowers; red fruit in late summer; often confused with Cleyera japonica
Viburnum macrophyllum Viburnum	S/Sh		WD	Large dark green leaves; upright; shrub borders, hedge use; may be damaged in extreme cold
Viburnum odoratissimum Sweet Viburnum	S/PSh	WD	X	Large glossy leaves; white flowers; red- black fruit
Viburnum suspensum Vibrunum	S/PSh	WD	X	Dark green foliage, pest free; shrub border or foundation planting; may be damaged by extreme cold
Viburnum tinus Laurus tinus	S/PSh	WD	X, M	White to pink flowers in winter; upright; border or screen; may be damaged by extreme cold – use in protected areas
Yucca aloifolia Spanish Bayonet	S/PSh		X	White flowers in summer; pest free; spiny leaves; specimen or protective screen use

SHRUB SPECIES LIST (LARGE, DECIDUOUS)

Shrubs 8-12 feet in height - All shrubs in this table are 2.5 points each.

Botanical Name Common Name	Sun	Soil	Drought Tolerant	Comments
Althea (see				
Hibiscus)				
Baccharis		Tol.	X	Native to salt
halimofolia S				marshes and dry
Groundsel Bush/Salt				uplands; showy
Myrtle				white flowers in

Cassia splendida Sun WD Z	fall; natural borders; salt tolerance X Yellow flowers in fall; may dieback
	X Yellow flowers in fall; may dieback
	X Yellow flowers in fall; may dieback
	fall; may dieback
	fall; may dieback
	when cold; (Also
	Cassia corymbosa
	and others are good
	for fall color
Cephalanthus Sun WD M	lod Cream flowers;
occidentalis	irregular form; wet,
Button Bush	natural areas
Chimonanthus S/PSh WD 2	X Fragrant yellow
praecox	flowers in January;
Wintersweet	dark green leaves;
	shrub border use
Deutzia scabra S WD	White flowers in
Fuzzy Deutzia	May; tall and erect;
	shrub border or
	specimen;
	background for
	other plantings
Exochorda racemosa S/PSh WD	X White flowers in
Pearl Bush	spring; mass
	planting use
	X Yellow flowers in
intermedia	early spring; good
Border Forsythia	along banks;
	specimen planting;
	rapid growth; prune
	old canes annually;
	no pests
Hibiscus syriacus S WD	Grown for flowers;
Althea	white, rose,
Rose of Sharon	lavender, pink in
	summer; use in
	shrub border; cut
	back in spring for
TI I DOI 14 W/D	increased bloom
Hydrangea PSh M, WD	Native with coarse
quercifolia	oak like leaves;
Oak Leaf Hydrangea	large white flowers
	in spring; red fall color "Snow
	Queen" is upright
	cultivar
Hex ambigua S/PSh WD	Translucent red
Carolina Holly	fruit; not common
Carolina Hony	in nurseries
	in nurseries
Kolkwitzia amabilis S WD Z	X Pink flowers in
Beautybush	spring; prune
	regularly to
	maintain shape;
	shrub border use;
	pest free
1	Early flowering;

alabamense				fragrant white with
Alabama Azalea				gold flowers;
Rhododendron	PSh	WD		Mid to late
arborescens				flowering; fragrant
Sweet Azalea				white flowers
Rhododendron	PSh	WD	M	Fragrant gold
atlanticum				flowers
Florida Azaleas				
Rhododendron	PSh	WD	M	Fragrant early pink
canascens				flowers; native; to
Piedmont or Florisa				8' height and width
Pinxter				
Rhododendron	PSh	WD	M	Very later orange
prunifolium				red flowers
Plumleaf Azalea				
Rhododendron	PSh	WD	M	Later fragrant white
serrulatum				flowers
Hammock Sweet				
Azalea				
Rhododendron				
speciosum				
Oconee Azalea				
Rhododendron	PSh	M		Mid season;
viscosum				fragrant white
Swamp Azalea				flowers
Rosa laevigata			X	State Flower;
Cherokee Rose				blooms in April
Viburnum nudum	S/PSh	Tol		Flossy foliage;
Possumhaw				colorful fruit and
Viburnum				fall foliage
Viburnum	S/PSh	Tol.	X	Creamy flowers in
prunifolium				May; dark green
Blackshaw				foliage; bronze red
Viburnum				fall color; blue fruit
				in fall; fast growing

SHRUB SPECIES LIST (MEDIUM EVERGREEN)

Shrubs 3-8 feet in height - All shrubs in this table are 3.0 points each

Botanical Name Common Name	Sun	Soil	Drought Tolerant	Comments
Abelia grandflora Glossy Abelia hedge	S/Sh	WD		Pink white flowers in June; bronze winter foliage; medium border or background planting; attracts butterflies
Aucuba japonica Japanese Aucuba Gold Dust Plant	Sh	WD		Shade; rapid growth; pest free; coarse texture; cultivars with gold color; variegated
Azalea species	S/PSh	WD		

"Red Ruffle"; "Hino				
de Girl"; "Snow";				
"Coral Bells" etc				
Berberis julianae Wintergreen Barberry	S/PSh	WD		Yellow blooms in spring; blue fruits; bronze/wine red leaves in winter; thorny; good barrier plant or hedge
Cephalotaxus Harringtonia "Drupacea"	PSh/Sh	WD		Drooping branches with dark green foliage; ground cover or foundation planting
Euonymus japonica Evergreen Euonymus	S/Sh	WD		Compact form in sun; variegated leaves in some cultivars; susceptible to scale; pests, disease; limit use
Gardenia jasminoides Cape Jasmine Hedges	S/PSh	WD		Fragrant white flowers in summer; pests; scale, whitefly; borders, specimen planting
Ilex cornuta "Burfordii Nana" Dwarf Burford Holly	S/PSh	WD		Glossy foliage; red fruits; good screen, hedge use
Ilex cornuta "Carissa" Carissa Holly	S/Sh	WD		Hedge, edging; dense dwarf form
Ilex cornuta "Needlepoint" Needlepoint Chinese Holly	S	WD		Long, narrow twisted leaves; fast growth; dense foliage
Ilex cornuta "Rotunda" Dwarf Chinese Holly	S/Sh	WD		Glossy, spiny foliage; tolerates hot, dry areas; tough plant; no pruning needed
Ilex crenata "Compacta" Roundleaf Holly	S/Sh	WD		Dark green foliage; no fruit; pests; foundation planting
Ilex crenata "Helleri" Heller's Holly	S/Sh	WD		Low spreading shrub with fine texture; scale; pests
Ilex glabra Inkberry	S/Sh	Tol	X	Broad leaf; upright form; black berry; naturalistic plantings
Ilex vomitoria "Nana" Dwarf Youpon Holly	S/Sh	WD	X	Taller than I. v. "Stokes"; same as above
Ilex vomitoria	S/Sh	WD	X	Smaller than I. v.

"Ctolras"	T	1		"NIono":
"Stokes"				"Nana"; compact
Dwarf Schillings				shape; no pruning;
Holly				some pests; drought
				resistant; fine
				texture
Leucothos axillaris	Sh/PSh	Acid		White or pink
Coastal Leucothos				flowers in April;
				dark foliage;
				graceful form; mass
				plantings; acid
				conditions
Lyobnia lucids	S/PSh		M	Same as above
Fetterbush				
Jasminum mesnyii	S	WD		Mounding habit;
Primrose Jasmine				pale yellow, semi
				double flowers
Juniperus chinesis	S	WD	X	Silvery blue to gold
Juniper	~			foliage; rapid
oumper				growth; horizontal
				Chinese spreading;
				pests are a problem;
				"Armstrong"; "Blue
				Vase"; "Hetzi";
				"Glauca"; "Hills
				Blues"; "Mint
				Julep"; "Old Gold";
				and "Pfitzeriana"
				are preferred
				cultivars
Ligustrum sinense	S/Sh	WD		Variegated forms
"Variegata"				available; weedy
Variegated Chinese				growth habit; pests
Privet				
Mahonia bealei	PSh/Sh	WD		Yellow flowers in
Leatherleaf Mahonia				March; blue grape
				like clusters of
				berries; Holly like
				leaves; specimen,
				foundation planting
Mahonia fortunei	PSh/Sh	WD		Dark purple berries;
Chinese Mahonia	1 311/311	WD		moderate growth
Cililese Mailoilla				
N 1	C /DCI	WD		rate; specimen
Nandina domestica	S/PSh	WD		Bamboo like
Heavenly Bamboo				foliage; cut out old
				canes; reddish
				foliage in winter;
				red berries in fall;
				white flowers in
				summer
Pittosporum tobira	S/PSh	WD		Small white fragrant
"Wheeler's Dwarf"				flowers; shiny dark
Dwarf Pittosporum				green leaves; dense
·				foliage; cold
				damage; "Laura" is
				a variegated form
Pyracantha coccinea	S	WD		Orange red berries
Scarlet Firethorn		,,,,,		in fall; fast growth;
Souriet i ilemoin				thorns are toxic;
				morns are wate,

				pest problems; white flowers in spring; espaliers on walls
Raphiolepis indica Indian Hawthorne	S/PSh	WD		White or pink flowers in spring; rounded leaves; shrub borders, foundation plantings
Yucca gloriosa Spanish Dagger	S	WD	X	Greenish white flowers in Sept.; spiny blue green leaves; salt tolerant; barrier, specimen, or accent plants

SHRUB SPECIES LIST (MEDIUM DECIDUOUS)

Shrubs 3 – 8 feet in height - All shrubs in this table are 1.5 points each

Botanical Name Common Name	Sun	Soil	Drought Tolerant	Comments
Buddleia alternifolia Butterfly Bush	S	WD	X	Old fashioned plant with sprays of flowers; attracts butterflies
Buddleia davidii Butterfly Bush	S	WD		White, pink, red or purple flowers all summer; accent plant or shrub border; attracts butterflies
Callicarpa Americana color American Beautyberry	S/PSh	WD		Clusters of purple berries arranged around stem; difficult to blend with other plants; naturalistic plantings.
Callicarpa japonicum Japanese Beautyberry	S/PSh	WD		White berried plant with smaller leaves, drooping form; naturalistic borders.

Calycanthus floridus	S/Sh	WD		Fragrant purple
Sweetshrub	5/511	WD		flowers in spring;
5 Weetsin do				brown fruit; pest
				free; shrub border
				use.
Cassia corymbosa	S	WD	X	Showy golden
Flowery Senna	b	WD	71	flowers in summer-
1 lowery Schila				fall; fast growth;
				pest free; specimen
				plant; winter
				dieback possible
Chaenomeles	S/PSh	WD		White, pink or red
japonica	5/1 511	WD		flowers in winter-
Flowering Quince				early spring; old
Prowering Quince				fashioned plant
Chaenomeles	S/PSh	WD		Red, white, orange
speciosa	5/1 511	WD		or pink flowers in
Flowering Quince				early spring; pest free; color in shrub
				border; "Nivales" –
				white; "Cameo" –
				peach; "Texas
				Scarlet" – bright
				red; Old fashioned
Clethra alnifolia	PSh/Sh	M		plant White flowers in
	P311/311	IVI		
Sweet Pepperbush				summer; moist soil;
				pest free; shrub
				border, naturalized
				area use; looks
Hibiscus mutabilis"	C	WD		good in winter.
	S	WD		Large, peony-
Confederate Rose"				shaped flower in
				pink, red, blooms in
				fall; Dies back to
				ground in winter,
TT 1	C1. /DC1.	WD		reappears in spring
Hydrangea	Sh/PSh	WD		White, pink or blue
macrophylla				flower clusters in
Big Leaf Hydrangea				summer; bare stalks
Τ	C /DC1	3.7		in winter.
Itea virginica	S/PSh	M		White flowers;
Virginia Sweetspire				moist soil; good red
				fall color; mass
				plantings; 'Henry's
				Garnet' has
TZ	C/DC1	WE		excellent color
Kerria japonica	S/PSh	WD		Yellow flowers in
Japanese Kerria				spring; few pests;
				specimen or border
				plant; good against
¥ .	9	T. 1	**	walls or fences
Lantana camara	S	Tol	X	Blooms from spring
Lantana				to fall; rapid
				growth; color.
Lonicera	S	WD		Tiny white fragrant
fragrantissima				flowers in winter;
Winter Honeysuckle				no pests; specimen

Spiraea prunifolia	S/Sh	WD	White flower
'Plena'			sprays in spring;
Bridalwreath Spiraea			rapid growth;
			informal use
Spiraea thunbergii	S/PSh	WD	White flowers in
Baby's Breath			January-February;
Spiraea			informal plantings
Spiraea vanhouttei	S/Sh	WD	White flowers in
Vanhoutte Spiraea			April; graceful
			specimen or border
			planting.
Tetrapanax	PSh	WD	Large, coarse
papyriferus			leaves; greenish
Rice Paper Plant			flowers in fall;
			winterkill; accent or
			specimen plant;
			suckers from roots
Vaccinium ashei	S	WD	Large, edible fruit;
Rabbiteye Blueberry			white bellshaped
			flowers in May;
			organic acid soil;
			shrub border or
			specimen
V. corymbosum			
V. stamineum			Purple fruit
			Deerberry

SHRUB SPECIES (SMALL EVERGREEN)

Shrubs to 3 feet in height - All shrubs in this table are 1.0 points each

Botanical Name	Sun	Soil	Drought Tolerant	Comments
Common Name				
Alexandrian-Laurel				
(See Danae)				
Ardisia crenata	Sh	WD		Autumn red berries;
Coralberry				loose upright form
-				with twisted leaves;
				seeds itself
Ardisia japonica	Sh	WD		Dark green foliage
Japanese Ardisia				for ground cover
				use
Aucuba japonica	Sh	WD		Scarlet berries on
'Nana' Dwarf Aucuba				female plants; need
				males and females
				for bloom/fruit; no
				pests; accent or
				border plant in
				shade.
Azalea (See also				
Rhododendron				
Berberis thunbergii	S/PSh	WD		Semi-"evergreen"
Barberry)				with reddish
				foliage; 'Rose Glow'
				and 'Crimson
				Pygmy' are good

				142 241
				cultivars with rosy foliage
Buxus Harlandii	S/PSh	WD		Fine texture; low
Harland Boxwood				hedge or edging;
				requires pruning;
				upright
				growth
Buxus microphylla	S/Sh	WD		Dark rich green
'Japonica' Japanese				color; mulch to
Littleleaf Box				provide moisture;
				pests; prune
				regularly; substitute
				for regular
				Boxwood; hedges.
Cephalotaxus	Sh/PSh	WD		Dark green foliage,
Harringtonia				upright; hedges,
'Prostrata' Plum Yew				foundation planting
Conradina canescens	S/PSh	WD	X	Sandy soil; blue-
Dixie Rosemary				gray leaves; shrub
,				border Coastal dune
				native; aromatic
				foliage; endangered.
Cuphea hyssopifolia	S/PSh	WD	X	White or purple tiny
Mexican Heather				flowers; small
				leaves; self-seeds;
				borders, edges.
Danae racemosa	Sh	WD		Arching stems; dark
Alexandrian Laurel				corners
Daphne odora	Sh/PSh	WD		Fragrant flowers in
Winter Daphne				February; dark
····				green or variegated
				leaves; slow
				growing; fungal
				problems
Euonymus fortunei'	S/PSh	WD		Climbing shrub or
Radicans'				groundcover;
Wintercreeper				Susceptible to scale
				pests; avoid wet
				soil; fungal
				diseases.
Euonymus japonicus	S/Sh	Tol		Erect, dense foliage;
Dwarf Japanese				Susceptible to scale,
Euonymus				fungus; edging
Gardenia jasminoides	S/PSh	WD		Fragrant white
'Radicans'				flowers in June
Dwarf Gardenia				;susceptible to
				scale, white fly;
Hypericum	S/PSh	WD		Reseeds; yellow
calycinum				flowers in late
St. John's Wort				summer-fall; native.
Jasminum floridanum	PS/PSh	WD		Glossy leaves;
Showy Jasmine				yellow flowers;
Nandina domestica	S/PSh	WD		Small white flowers;
'Harbour Dwarf'				red berries; compact
Nandina				form of nandina;
				dense mound of
				foliage; pest free

Nandina domestica	S/PSh	WD		Red fall color;
'Atropurpurea Nana' Dwarf Nandina				mounded growth; cupped leaves
Rosmarinus officinalis Rosemary	S/PSh	WD	X	Green fragrant leaves; blue or white flowers; poor soil; lime needed
Ruscus aculeatus Butchers broom	S/Sh	WD	X	Red berries when male and female plants present; tolerates drought and neglect; pest free.
St. John's Wort (See Hypericum)				
Santolina chamaecyparissus Lavender Cotton S		WD		Yellow flowers midsummer; silver- gray foliage; aromatic clumps
Santolina virens Green Santolina	S	WD		Finely textured green leaves; poor sandy soils; borders
Serissa foetida Serissa	S	WD		White flowers in spring-summer; fine texture; sandy soil; pest free; variegated form; massings or accents
Serissa foetida 'Variegata'				See above
Variegated Serissa Skimmia japonica	PSh/Sh	WD		Fragrant white flowers in spring; scarlet berries in fall;
. Japanese Skimmia				need male and female plants; mounded form; moist, rich, acid soil; pest free; foundation and shrub massing
Yucca filamentosa Adam's Needle	S	WD	X	White flowers in summer; stiff blades; barrier, accent plant.

SHRUB SPECIES LIST (SMALL DECIDUOUS)

Shrubs under 3 feet in height - All shrubs on this table are 0.5 points each

Botanical Name	Sun	Soil	Drought Tolerant	Comments
Common Name				
Almond, (See				
Prunus)				
Deutzia gracilis	S/PSh	WD		White flowers in
Slender Deutzia				spring; pest
				resistant; slow
				growing Accent;
				shrub massing
Euonymus	PSh	WD		Irregular form;
americanus				native plant good
Strawberry Bush				for natural
				plantings;
				strawberry-like fruit
Fothergilla gardenii	S/PSh	WD		White fragrant
Dwarf Bottlebrush				flowers in April-
				May; yellow fall
				color; mass
				plantings or
				naturalistic settings.
Jasminum	S/Sh	WD		January-February
nudiflorum Winter				bloom with yellow
Jasmine				flowers; fountain-
				like form; pest free;
				plant on banks,
				trailing over walls,
				etc.
Plumbago capensis	S	WD	X	Pale blue flowers in
Plumbago				summer and fall;
				profuse bloomer;
				'Alba' is white
				flower
Prunus glandulosa	S	WD		White or pink
Flowering Almond	~			flower in spring;
8				accent or specimen
				plant
Punica granatum	S	WD	X	Orange-red flowers
'Nana' Dwarf		,,,,	**	in summer; red fruit
Pomegranate				in fall; salt tolerant
- 3				hedges, borders or
				container use.
				container use.

EVERGREEN GROUND COVER

All plants on this table are .10 points per plant @ 1 gal.

Botanical Name Common Name	Sun	Soil	Drought Tolerant	Comments
Ajuga reptans Bugleweed	S/Sh	M, WD	Totalia	Deep green to bronze foliage; grows by stolons; Grows 6" high; plant 8-12" apart. Crown rot.
Artemisia abrotanum Southernwood	S	WD	X	Gray-green foliage with feathery texture; prune annually; Grows to 36" or more; space 12-15" apart.
Aspidistra elatior Cast-iron Plant	Sh	Tol		Dark green leaves grow erectly from ground; spreads by stolons; Grows to 24" high; plant 12" apart.
Asplenium platyneuron Ebony Spleenwort	S/Sh			Calcium Small fern with black stems; Grows 6" high; space 12" apart; prefers some calcium in soil and some shade
Chrysogonum virginianum Goldenstar	PSh	WD		Yellow daisy flowers in spring; grow in sandy loam; Grows to 6" high; Space plants 8" apart.
Cyrtomium falcatum Holly Fern	PSh/Sh	M		Dark green foliage; compact clumps; reseeds freely; Grows to 24"; Space plants 3' apart.
Daylily (See Hemerocallis)				
Galium odoratum Sweet Woodruff	Sh	M		Tiny white flowers in spring; delicate whorled leaves; moist acid soil; good with bulbs; Grows 3-4"; Plant 6" apart.
Ginger, Wild (See				•
Hedera canariensis Algerian Ivy	Sh/PSh	WD		Green or variegated ('Canary Cream') leaves; shear

	T			
				annually; vigorous;
				Grows to 18"; Plant
				18" apart.
Hedera helix	Sh/PSh	WD		Glossy green leaves,
English Ivy				some with color;
				Vigorous; grows to
				18" high; Plant 12"
				apart or less.
Hemerocallis hybrida	S/PSh	WD		Flowers in red,
Daylily				coral, orange,
				yellow; bloom
				spring through
				September,
				depending upon
				variety; Mulch,
				water and fertilizer
				required; Grows to
				18"; Plant 18-30"
Harrastrilia anifolium	Ch/DCh	WD		apart Small red flower in
Hexastylis arifolium	Sh/PSh	WD		
Wild Ginger				spring; organic,
				moist soil; shade
				Grows to 10"; Plant
				12" apart.
Holly Fern (See				
Cyrtomium)				
Ivy (See Hedera)				
Juniperus conferta	S	WD	X	Blue-green foliage;
Shore Juniper				sandy soil; salt
				tolerant; mites;
				Grows to 16"; Space
				3' apart; 'Blue
				Pacific' is blue-
				green, low-growing;
				Compacta' is light
				green color.
Juniperus horizontalis	S	WD	X	Silver blue color;
Creeping Juniper	~			fast-growing; flat
or our programme or				trailing habit; heat
				tolerant; 'Wiltonii' is
				blue rug juniper.
Juniperus	S	WD	X	Mounding habit;
procumbens	S	WD	Λ	cascades; Grows to
'Nana'	0/01	WD		6"; Space 3' apart
Liriope muscari	S/Sh	WD		Dark green grasslike
Big Blue Liriope				leaves; Blue or
				white flower spike
				in summer; Grows
				to 12"; Plant 12"
				apart; 'Big Blue,'
				'Evergreen Giant,'
				'Monroe White,'
				'Webster's Wide
				Leaf' and 'Silvery
				Sunspot' are
				recommended
				cultivars.
Liriope spicata	Sh/PSh	WD		Dark blue-green
		1		

Consultation of		T T	
Creeping Lily Turf			grasslike leaves;
			Violet flower spike
			in summer; Grows
			to 10"; Spreads
			rapidly, not for
			borders.
Pachysandra	Sh/PSh	WD	Green or silver-
terminalis Japanese			edged leaves for
Pachysandra flower			shade; insignificant
			white Grows to 4";
			space 5" apart
Mitchella repens	Sh	WD	Dark green leaves;
Partridge Berry	211	2	red berries; trailing
Turinage Berry			native plant; Grows
			to 3" high; plant 4"
			~ -
Onhing and inhome	S	WD	apart
Ophiopogon jaburan	5	WD	Variegated tall
Snakebeard			grasslike leaves;
			sun-tolerant
Ophiopogon	Sh/PSh	WD	Dark green grasslike
japonicus Mondo			leaves; Grows to 6";
Grass			space 4-6".
Phlox divaricata	S/PSh	WD	Blue flowers in
Woodland Phlox			spring; delicate
			plant; Grows to 8";
			Plant 6" apart.
Phlox pilosa	S/PSh	WD	Pink, blue or white
Downy Phlox	3/1311	WD	flowers in spring;
Downy Fillox			
			Grows to 15"; Plant
	an .a.		6" apart
Phlox stolonifera	SP/Sh	WD	White, blue or pink
Creeping Phlox			flowers in spring;
			plant with bulbs;
			Grows to 12"; plant
			6" apart
Phlox subulata	S/PSh	WD	Violet, blue or white
Moss Phlox			flowers in spring;
			crown rot; Grows to
			6"; plant 4" apart
Polystichum	Sh/PSh	WD, M	Evergreen, lacy
acrostichoides	SII/T SII	, WD, W	foliage; Grows to 3';
Christmas Fern			
	Q1, /DQ1,	WD	Plant 12" apart
Trachelospermum	Sh/PSh	WD	Creamy white
asiaticum			flowers in late
Japanese Star Jasmine			spring, fragrant;
			dark green foliage;
			grows to 12"; plant
			3' apart.
Vinca major	Sh/PSh	WD	Blue flowers in
Bigleaf Periwinkle			spring; larger leaves
			than V. minor;
			Vigorous; Grows to
			12"; plant 12" apart
Vinas min	Q1- /DQ1-	WD	Blue flowers in
Vinca minor	Sh/PSh	WD	
Common Periwinkle			spring; not as heat
			tolerant or igorous
			as V. major; Grows
			to 8"; plant 8" apart.